

Floresta Nacional do Rio Preto

Classe	Ordem	Família	Espécie	Categoria de ameaça	
				Estadual ¹	Nacional ²
Arachnida	Araneae	Corinnidae	<i>Ianduba paubrasil</i> (Bonaldo, 1997)	-	EN
Insecta	Coleoptera	Ciidae	<i>Ceracis bicornis</i> (Mellié, 1849)	-	-
Insecta	Coleoptera	Ciidae	<i>Ceracis cornifer</i> (Mellié, 1849)	-	-
Insecta	Coleoptera	Ciidae	<i>Ceracis sp.</i>	-	-
Insecta	Coleoptera	Ciidae	<i>Cis pubescens</i> (Friedenreich, 1881)	-	-
Insecta	Coleoptera	Ciidae	<i>Cis pusillus</i> Gorham, 1898	-	-
Insecta	Coleoptera	Ciidae	<i>Cis sp.</i>	-	-
Insecta	Coleoptera	Ciidae	<i>Phellinocis romualdoi</i> Lopes-Andrade, Cristiano & Lawrence, John F., 2005	-	-
Insecta	Coleoptera	Ciidae	<i>Strigocis vicosensis</i> Lopes-Andrade, 2011	-	-
Insecta	Coleoptera	Ciidae	<i>Xylographus contractus</i> Mellié, 1849	-	-
Insecta	Coleoptera	Erotylidae	-	-	-
Insecta	Coleoptera	Ptinidae	-	-	-
Insecta	Coleoptera	Staphylinidae	-	-	-
Insecta	Coleoptera	Tenebrionidae	<i>Neomida sp.</i>	-	-
Insecta	Coleoptera	Tenebrionidae	<i>Platydema sp.</i>	-	-
Insecta	Coleoptera	Tenebrionidae	<i>Rhipidandrus sp.</i>	-	-
Insecta	Hymenoptera	Apidae	<i>Eufriesea surinamensis</i> (Linnaeus, 1758)	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa augaspis</i> Dressler, 1982	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa avicula</i> Dressler, 1982	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa calycina</i> Faria & Melo, 2012	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa carolina</i> Nemésio, 2009	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa crassipunctata</i> Moure, 1968	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa despecta</i> Moure, 1968	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa hemichlora</i> Cockerell, 1917	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa heterosticta</i> Moure, 1968	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa ignita</i> Smith, 1874	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa imperialis</i> Cockerell, 1922	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa iopoecila</i> Dressler, 1982	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa mixta</i> Friese, 1899	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa monnei</i> Nemésio, 2012	-	-

Floresta Nacional do Rio Preto

Classe	Ordem	Família	Espécie	Categoria de ameaça	
				Estadual ¹	Nacional ²
Insecta	Hymenoptera	Apidae	<i>Euglossa pleosticta</i> Dressler, 1982	-	-
Insecta	Hymenoptera	Apidae	<i>Euglossa roubiki</i> Nemésio, 2009	-	-
Insecta	Hymenoptera	Apidae	<i>Eulaema atleticana</i> Nemésio, 2009	-	-
Insecta	Hymenoptera	Apidae	<i>Eulaema cingulata</i> (Fabricius, 1804)	-	-
Insecta	Hymenoptera	Apidae	<i>Eulaema marcii</i> Nemésio, 2009	-	-
Insecta	Hymenoptera	Apidae	<i>Eulaema nigrita</i> Lepeletier, 1841	-	-
Insecta	Hymenoptera	Apidae	<i>Eulaema niveofasciata</i> (Friese, 1899)	-	-
Insecta	Hymenoptera	Apidae	<i>Exaerete frontalis</i> (Guérin-Méneville, 1845)	-	-
Insecta	Hymenoptera	Apidae	<i>Exaerete smaragdina</i> (Guérin-Méneville, 1845)	-	-
Insecta	Hymenoptera	Formicidae	<i>Pheidole fracticeps</i> Wilson, 2003	-	-
Insecta	Hymenoptera	Formicidae	<i>Strumigenys denticulata</i> Mayr, 1887	-	-
Actinopterygii	Characiformes	Characidae	<i>Astyanax intermedius</i> Eigenmann, 1908	-	-
Actinopterygii	Characiformes	Characidae	<i>Astyanax sp.</i>	-	-
Actinopterygii	Characiformes	Characidae	<i>Australoheros capixaba</i> Ottoni, 2010	-	-
Actinopterygii	Characiformes	Characidae	<i>Geophagus brasiliensis</i> (Quoy & Gaimard, 1824)	-	-
Actinopterygii	Characiformes	Characidae	<i>Gymnotus carapo</i> Linnaeus, 1758	-	-
Actinopterygii	Characiformes	Characidae	<i>Hoplias malabaricus</i> (Bloch, 1794)	-	-
Actinopterygii	Characiformes	Characidae	<i>Hyphessobrycon bifasciatus</i> Ellis, 1911	-	-
Actinopterygii	Characiformes	Characidae	<i>Hyphessobrycon reticulatus</i> Ellis, 1911	-	-
Actinopterygii	Characiformes	Characidae	<i>Mimagoniates microlepis</i> (Steindachner, 1877)	-	-
Actinopterygii	Characiformes	Characidae	<i>Phalloceros ocellatus</i> Lucinda, 2008	-	-
Actinopterygii	Characiformes	Characidae	<i>Poecilia vivípara</i> Bloch & Schneider, 1801	-	-
Amphibia	Anura	Bufo	<i>Rhinella crucifer</i> (Wied-Neuwied, 1821)	-	-
Amphibia	Anura	Bufo	<i>Rhinella diptycha</i> (Cope, 1862)	-	-
Amphibia	Anura	Bufo	<i>Rhinella granulosa</i> (Spix, 1824)	-	-
Amphibia	Anura	Bufo	<i>Rhinella hoogmoedi</i> Caramaschi & Pombal, 2006	-	-
Amphibia	Anura	Craugastoridae	<i>Haddadus binotatus</i> (Spix, 1824)	-	-
Amphibia	Anura	Cycloramphidae	<i>Proceratophrys laticeps</i> Izecksohn & Peixoto, 1981	-	-
Amphibia	Anura	Hemiphractidae	<i>Gastrotheca ernestoi</i> Miranda-Ribeiro, 1920	-	-
Amphibia	Anura	Hylidae	<i>Aparasphenodon brunoi</i> Miranda-Ribeiro, 1920	-	-

Floresta Nacional do Rio Preto

Classe	Ordem	Família	Espécie	Categoria de ameaça	
				Estadual ¹	Nacional ²
Amphibia	Anura	Hylidae	<i>Boana faber</i> (Wied-Neuwied, 1821)	-	-
Amphibia	Anura	Hylidae	<i>Boana semilineata</i> (Spix, 1824)	-	-
Amphibia	Anura	Hylidae	<i>Dendropsophus branneri</i> (Cochran, 1948)	-	-
Amphibia	Anura	Hylidae	<i>Dendropsophus minutus</i> (Peters, 1872)	-	-
Amphibia	Anura	Hylidae	<i>Pseudis fusca</i> Garman, 1883	-	-
Amphibia	Anura	Hylidae	<i>Scinax alter</i> (Lutz, 1973)	-	-
Amphibia	Anura	Hylidae	<i>Scinax argyreornatus</i> (Miranda-Ribeiro, 1926)	-	-
Amphibia	Anura	Hylidae	<i>Scinax cuspidatus</i> (Lutz, 1925)	-	-
Amphibia	Anura	Hylidae	<i>Sphaenorhynchus botocudo</i> Caramaschi, Almeida & Gasparini 2009	-	-
Amphibia	Anura	Hylidae	<i>Sphaenorhynchus palustris</i> Bokermann, 1966	-	-
Amphibia	Anura	Hylidae	<i>Sphaenorhynchus planicola</i> (A. Lutz & B. Lutz, 1938)	-	-
Amphibia	Anura	Hylidae	<i>Trachycephalus mesophaeus</i> (Hensel, 1867)	-	-
Amphibia	Anura	Leiuperidae	<i>Physalaemus aguirrei</i> Bokermann, 1966	-	-
Amphibia	Anura	Leptodactylidae	<i>Leptodactylus latrans</i> (Steffen, 1815)	-	-
Amphibia	Anura	Microhylidae	<i>Chiasmocleis quilombola</i> Tonini, Forlani & de Sá, 2014	-	-
Amphibia	Anura	Microhylidae	<i>Chiasmocleis schubarti</i> Bokermann, 1952	-	-
Amphibia	Anura	Microhylidae	<i>Dasypops schirchi</i> Miranda-Ribeiro, 1924	-	-
Amphibia	Anura	Microhylidae	<i>Dermatonotus muelleri</i> (Boettger, 1885)	-	-
Amphibia	Anura	Microhylidae	<i>Stereocyclops incrassatus</i> Cope, 1870	-	-
Reptilia	Testudinata	Chelidae	<i>Acanthochelys radiolata</i> (Mikan, 1820)	-	-
Reptilia	Squamata	Boidae	<i>Boa constrictor constrictor</i> Linnaeus, 1758	-	-
Reptilia	Squamata	Colubridae	<i>Chironius fuscus</i> (Linnaeus, 1758)	-	-
Reptilia	Squamata	Colubridae	<i>Chironius laevicollis</i> (Wied-neuwied, 1824)	-	-
Reptilia	Squamata	Colubridae	<i>Leptophis ahaetulla</i> (Linnaeus, 1758)	-	-
Reptilia	Squamata	Colubridae	<i>Oxybelis aeneus</i> (Wagler, 1824)	-	-
Reptilia	Squamata	Colubridae	<i>Spilotes sulphureus</i> (Wagler, 1824)	-	-
Reptilia	Squamata	Colubridae	<i>Thamnodynastes nattereri</i> Boulenger, 1896	-	-
Reptilia	Squamata	Diploglossidae	<i>Ophiodes fragilis</i> (Raddi, 1826)	-	-
Reptilia	Squamata	Dipsadidae	<i>Dipsas indica</i> Boulenger, 1896	-	-
Reptilia	Squamata	Dipsadidae	<i>Dipsas variegata</i> (Duméril, Bibron & Duméril, 1854)	-	-

Floresta Nacional do Rio Preto

Classe	Ordem	Família	Espécie	Categoria de ameaça	
				Estadual ¹	Nacional ²
Reptilia	Squamata	Dipsadidae	<i>Erythrolamprus miliaris</i> (Linnaeus, 1758)	-	-
Reptilia	Squamata	Dipsadidae	<i>Erythrolamprus poecilogyrus</i> (Wied-neuwied, 1825)	-	-
Reptilia	Squamata	Dipsadidae	<i>Leptodeira annulata</i> (Linnaeus, 1758)	-	-
Reptilia	Squamata	Dipsadidae	<i>Oxyrhopus petolarius</i> (Linnaeus, 1758)	-	-
Reptilia	Squamata	Dipsadidae	<i>Oxyrhopus trigeminus</i> Duméril, Bibron & Duméril, 1854	-	-
Reptilia	Squamata	Dipsadidae	<i>Philodryas patagoniensis</i> (Girard, 1858)	-	-
Reptilia	Squamata	Dipsadidae	<i>Pseudoboa nigra</i> (Duméril, Bibron & Duméril, 1854)	-	-
Reptilia	Squamata	Dipsadidae	<i>Xenodon merremii</i> (Wagler, 1824)	-	-
Reptilia	Squamata	Dipsadidae	<i>Xenodon rabdocephalus</i> (Wied-neuwied, 1824)	-	-
Reptilia	Squamata	Elapidae	<i>Micrurus corallinus</i> (Merrem, 1820)	-	-
Reptilia	Squamata	Gekkonidae	<i>Hemidactylus mabouia</i> (Moreau De Jonnés, 1818)	-	-
Reptilia	Squamata	Gymnophthalmidae	<i>Ecleopus gaudichaudii</i> Duméril & Bibron, 1839	-	-
Reptilia	Squamata	Gymnophthalmidae	<i>Leposoma scincoides</i> Spix, 1825	-	-
Reptilia	Squamata	Gymnophthalmidae	<i>Micrablepharus maximiliani</i> (Reinhardt & Lütken, 1862)	-	-
Reptilia	Squamata	Leiosauridae	<i>Enyalius pictus</i> (Schinz, 1822)	-	-
Reptilia	Squamata	Phyllodactylidae	<i>Gymnodactylus darwinii</i> (Gray, 1845)	-	-
Reptilia	Squamata	Polychrotidae	<i>Polychrus marmoratus</i> (Linnaeus, 1758)	-	-
Reptilia	Squamata	Scincidae	<i>Brasiliscincus agilis</i> (Raddi, 1823)	-	-
Reptilia	Squamata	Scincidae	<i>Psychosaura macrorhyncha</i> (Hoge, 1946)	-	-
Reptilia	Squamata	Teiidae	<i>Ameiva ameiva</i> (Linnaeus, 1758)	-	-
Reptilia	Squamata	Teiidae	<i>Kentropyx calcarata</i> Spix, 1825	-	-
Reptilia	Squamata	Teiidae	<i>Salvator merianae</i> (Duméril & Bibron, 1839)	-	-
Reptilia	Squamata	Tropiduridae	<i>Tropidurus torquatus</i> (Wied-neuwied, 1820)	-	-
Reptilia	Squamata	Typhlopidae	<i>Amerotyphlops brongersmianus</i> (Vanzolini, 1976)	-	-
Reptilia	Squamata	Viperidae	<i>Bothrops jararaca</i> (Wied, 1824)	-	-
Reptilia	Squamata	Viperidae	<i>Bothrops leucurus</i> Wagler, 1824	-	-
Aves	Pelecaniformes	Ardeidae	<i>Ardea alba</i> Linnaeus, 1758	-	-
Aves	Piciformes	Picidae	<i>Campephilus robustus</i> (Lichtenstein, 1818)	-	-
Aves	Piciformes	Picidae	<i>Melanerpes flavifrons</i> (Vieillot, 1818)	VU	-
Aves	Psittaciformes	Psittacidae	<i>Amazona rhodocorytha</i> (Salvadori, 1890)	VU	VU

Floresta Nacional do Rio Preto

Classe	Ordem	Família	Espécie	Categoria de ameaça	
				Estadual ¹	Nacional ²
Aves	Passeriformes	Thamnophilidae	<i>Formicivora grisea</i> (Boddaert, 1783)	-	-
Aves	Passeriformes	Thamnophilidae	<i>Formicivora rufa</i> (Wied-Neuwied, 1831)	-	-
Mammalia	Didelphimorphia	Didelphidae	<i>Gracilinanus microtarsus</i> (Wagner, 1842)	-	-
Mammalia	Didelphimorphia	Didelphidae	<i>Marmosa demerarae</i> (Thomas, 1905)	-	-
Mammalia	Didelphimorphia	Didelphidae	<i>Marmosa murina</i> (Linnaeus, 1758)	-	-
Mammalia	Didelphimorphia	Didelphidae	<i>Marmosops incanus</i> (Lund, 1840)	-	-
Mammalia	Pilosa	Myrmecophagidae	<i>Tamandua tetradactyla</i> (Linnaeus, 1758)	-	-
Mammalia	Cingulata	Dasypodidae	<i>Dasypus novemcinctus</i> (Linnaeus, 1758)	-	-
Mammalia	Carnivora	Felidae	<i>Herpailurus yagouaroundi</i> É. Geoffroy, 1803	-	-
Mammalia	Carnivora	Felidae	<i>Leopardus pardalis</i> (Linnaeus, 1758)	-	-
Mammalia	Carnivora	Felidae	<i>Puma concolor</i> (Linnaeus, 1771)	EN	VU
Mammalia	Chiroptera	Furipteridae	<i>Furipterus horrens</i> (F. Cuvier, 1828)	EN	VU
Mammalia	Rodentia	Erethizontidae	<i>Chaetomys subspinosus</i> (Olfers, 1818)	VU	VU
Mammalia	Rodentia	Cuniculidae	<i>Cuniculus paca</i> (Linnaeus, 1766)	-	-
Mammalia	Rodentia	Muridae	<i>Rattus rattus</i> (Linnaeus, 1758)	-	-
Mammalia	Rodentia	Sciuridae	<i>Guertlinguetus brasiliensis</i> (Gmelin, 1788)	-	-